



[Web](#) [Images](#) [Videos](#) [Maps](#) [News](#) [Shopping](#) [Gmail](#) [more ▼](#)

[Scholar Preferences](#) | [Sign in](#)

Google scholar

wireless detect user presence access control (Search [Advanced Scholar Search](#)

Scholar Articles and patents  - 2003 include citations  ☒ [Create email alert](#) Results 1 - 21 of 21. (0.46 sec)

Method and system for controlling access to content

M Lipsanen, L Vermola... - US Patent App. 10/701,066, 2003 - Google Patents
... The system, method and computer program per- form a detection of a **presence** of one or more **users** in at least one region in which the receivable content may be con- sumed via the one or more **users' wireless** communications devices by **wireless** communications, and ...

[All 2 versions](#)

Streamed content Delivery

MW Kauffman... - US Patent App. 10/002,836, 2001 - Google Patents
... Patent Application Publication May 15,2003 Sheet 15 of 15 US 2003/0093799 AI 900 **Detect** Request for ... embodiment of a hybrid fiber/twisted pair (HFTP) plant interfaced with a point of **presence** and content ... US 2003/0093799 AI May 15, 2003 manner the **user** is accustomed to ...

[All 6 versions](#)

Quality of service control of streamed content delivery

MW Kauffman - US Patent App. 10/002,469, 2001 - Google Patents
... Application Publication May 15,2003 Sheet 15 of 15 US 2003/0093515 AI 900 Lj I **Detect** Request for ... Acceptable to **User**? ... US 2003/0093515 AI May 15, 2003 QUALITY OF SERVICE **CONTROL** OF STREAMED CONTENT DELIVERY BACKGROUND OF THE INVENTION [0001 ...

[All 4 versions](#)

Combined adaptive spatio-temporal processing and multi-user detection for CDMA wireless systems

CL Joseph Jr, S Moshavi... - US Patent App. 20,030/ ..., 2001 - freepatentsonline.com
... channel information associated with multiple **users** are jointly used to better **detect** each individual ... detectors, interference cancellation MUD utilizes information about other **users** when detecting a single **user**. ... 1 is a network diagram illustrating a typical **wireless** CDMA network. ...

[Cached](#)

Video advertising

JJ Sie, JC Beyler... - US Patent App. 10/460,753, 2003 - Google Patents
... **User** Fig. 9 Page 14. Patent Application Publication Feb. 12,2004 Sheet 13 of 32
US 2004/0030599 AI 1004 1008 Observe Viewing Habits **Determine** Probable **User**
Changed? Last Confirm Too Long/ No Ago? -1020 Display ...

[All 2 versions](#)

Method and apparatus for a receiver/decoder

F Leocom... - US Patent App. 10/487,276, 2002 - Google Patents
... The method further includes the use of multiple demultiplexers/ remultiplexers, for example in the recording of more than one service simultaneously; and a **control** word device for the management of **control** word operations; the use of two or more tuners. ...

[All 4 versions](#)

Testing and verification of cable modem systems

H Abramson - US Patent App. 20,040/060,069, 2002 - freepatentsonline.com
... covers all operational elements used in delivering data service to end-**users**, including service ... wiring" infrastructure referred to in this application may also include "air interface" **wireless** links such ... in a reasonable amount of time and allow operators to rapidly **detect** and resolve ...

[Cached](#) - [All 3 versions](#)

[PDF] BASELINE ECONOMIC IMPACTS OF THE ATP DIGITAL VIDEO PROGRAM

S Maynard-Moody - 2000 - iper.ku.edu
... is necessary to restrict firm sample to small or medium-sized firms in order to **detect** the effect ... to downstream cost and price reductions, and hence increases in producer and consumer surplus for downstream **users**. ... A majority of the households have Internet **access** in the home. ...

[Related articles](#) - [View as HTML](#) - [All 4 versions](#)

[\[PDF\] from ku.edu](#)

[BOOK] Networking A to Z

NJ Muller - 2002 - books.google.com
... **ACCESS** POINTS 5 Among the capabilities of these **wireless** managers is sup- port of remote reboot, group configuration, or group ... APs provide dual-band **wireless** connec- tions to support both IEEE 802.11a and IEEE 802.11b client **users** at the ... See also Bluetooth **Wireless** LANs ...

[Library Search](#) - [All 3 versions](#)

System and method for speculative tuning

T Farrand... - US Patent App. 10/261,114, 2002 - Google Patents

... CI.7 H04M 11/00 (52) US CI 455/404.1; 455/426.1 (57) ABSTRACT A method implemented on a multi-tuner receiver system coupled to a plurality of multimedia nodes is disclosed, comprising: monitoring **user** input on the multi-tuner receiver system; identifying a first channel ...

[All 8 versions](#)

Behavioral targeted advertising

MA Plotnick, CA Eldering... - US Patent App. 10/116,692, 2002 - Google Patents

... No. 09/658,204 filed on Sep. 8, 2000 entitled "Targeted Advertising Through Electronic **Program Guide**" (Docket No. T723-00); [0020] US patent application Ser. No. ... [0032] VCRs have a fast-forward capability that allows the **user** to fast-forward through programming. ...

[All 2 versions](#)

[BOOK] Information appliances and beyond: interaction design for consumer products

E Bergman - 2000 - books.google.com

... 28 The Need for a Different **User** Interface 29 2.2 Design Considerations 32 Account for the ... These products include email appliances, digital cameras, screen phones, **wireless** personal digital assistants ... to the success of the design was the early adoption of **user**-centered design ...

[Cited by 158](#) - [Related articles](#) - [Library Search](#) - [All 3 versions](#)

Storing and recalling information to augment human memories

AH Kenneth III, D Newell... - US Patent App. 20,030/ ..., 2003 - freepatentsonline.com

... In the illustrated embodiment, the body-mounted computer can communicate with the non-portable computer via a **wireless** transmission medium. ... For example, the CAM system can **detect** that the **user** has encountered for a second time a person (eg, based on face or voice ...

[Cached](#) - [All 2 versions](#)

OFDM communication system and method having a reduced peak-to-average power ratio

JC Leonard Jr... - US Patent App. 20,010/ ..., 2001 - freepatentsonline.com

... puts an embedded marker on rotated clusters that can be reliably detected even in the **presence** of noise and ... [0040] To **detect** the inversion ... Previous Patent: Noise characterization in a **wireless** communication system Next Patent: Polyphase-discrete fourier transform (DFT) sub ...

[Cached](#)

[PDF] Quality-Oriented Adaptation Scheme for Multimedia Streaming in Local Broadband Multi-Service IP Networks

GM Muntean - 2003 - csl.ucd.ie

... The scheme's adaptive reaction was tested with background traffic of different type, size and variation patterns and in the **presence** of concurrent multimedia ... good end-**user** perceived quality. ... 2.2.1.1 **Wireless** Solutions13 ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#)

[\[PDF\] from ucd.ie](#)

[BOOK] Satellite broadcast systems engineering

JM Gómez - 2002 - books.google.com

... Loss 145 5.6.4 Downlink Design 147 5.7 DVB-S for **Wireless** Internet **Access** ... globalization through such avenues as advanced direct-to-home broadcasting and international Internet **access**. ... segment consists of all Earth stations directly connected to end-**user** equipment, such ...

[Cited by 10](#) - [Related articles](#) - [Library Search](#)

[DOC] Next Generation Television

H Van Vliet... - 2001 - doc.novay.nl

... Besides infrared interfaces such as the remote **control** and a **wireless** keyboard some other interfaces are the following: Modems, built in or externally connected, utilise the return path ... It interfaces with a range of conditional **access** systems to offer the end-**user** an integrated ...

[Cited by 1](#) - [Related articles](#) - [View as HTML](#)

[\[DOC\] from novay.nl](#)

[BOOK] Robust speech recognition in embedded systems and PC applications

JC Junqua - 2000 - books.google.com

... speech recognition 24 1.4.2. Speech transmission over the telephone or **wireless** connections 27 ... in a running carat60mph(after[GelinandJunqua, 1999]) 13 Figure 1.7: Task-**User**-Technology parameters ... of conversational system with a mked-initiative dialog for the **control** of a ...

[Cited by 49](#) - [Related articles](#) - [Library Search](#) - [BL Direct](#) - [All 4 versions](#)

[BOOK] Multimedia servers: applications, environments, and design

D Sitaram... - 2000 - books.google.com

... environment 214 11.2 Composite multimedia document 215 11.3 Illustration of **access** patterns within ... In a large-scale distributed server, resource management issues go beyond admission **control** and basic ... reduction in the required server capacity will depend on the **user** base ...

[Cited by 64](#) - [Related articles](#) - [Library Search](#) - [All 4 versions](#)

Internet over cable: Defining the Future in Terms of the Past

B Esbin - CommLaw Conspectus, 1999 - litigation-essentials.lexisnexis.com

... digital phone lines, traditional network lines, fiber, cable television facilities and **wireless** systems ... their service; "dial-up" ISPs that specialize in many points of **presence** (POP's), which ... switched - and the content of the communication - providing data processing services to **users**. ...

[Cited by 64](#) - [Related articles](#) - [Library Search](#) - [Bib. Direct](#) - [All 4 versions](#)

[BOOK] [Alternative Approaches to Combating Transnational Crime](#)

[\[HTML\] from ncjrs.gov](#)

S Schneider, ME Beare, J Hill... - 2000 - ncjrs.gov

... unscrupulous contractors or organized crime groups, which have long had a **presence** in this ...
Tribune, October 3, 1999; "Administration wants securities firms to help it **detect** money laundering ...
and specified law enforcement agencies with both general and specific **access** to the ...

[Cited by 6](#) - [Related articles](#) - [Cached](#) - [Library Search](#) - [All 5 versions](#)

☒ [Create email alert](#)

wireless detect user presence acces

[Go to Google Home](#) - [About Google](#) - [About Google Scholar](#)

©2011 Google